



PlanetsWater (Worldwide) Corp.

Specialised Atmospheric Imported Product's (SAIP) Thai-China Corp. © 2011



E-mail: sales@planetwater.com Tel: +44 789 333 5555 Skype: Planetwater

MANUFACTURING FACILITIES IN MAINLAND CHINA AND THAILAND

DIRECT WHOLESALE MANUFACTURERS PRICES

Ref no: PWG-AWG WHOLESALE

Date: 2011

Model	Product Name Tabletop-Desktop-Counter-top	Picture	Unit Price (FOB SHANGHAI) CIF	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PWG-CT 10L (SINGLE) 10L/24HR	Atmospheric Water Generator Ⓛ Temp: 15-32°C Humidity: 40-90% Ⓛ R134a compressor cooling Ⓛ Stainless steel water tank Ⓛ Cold & Warm water [single nozzle] Ⓛ Filtration: PP+CTO+UF+T33+UV Ⓛ LCD display Ⓛ Power supply:220V/50Hz-110V/60Hz Ⓛ Rated input:220V/350W-110V/400W		USD-POA Note: OEM Prices [original equipment manufacturer] are available by MOQ [minimum order quantity].	USD900 Note: Cost of ALL 'sample' unit(s) are 'Refundable' on placement of any container order.	50 pcs	20ft: 372pcs 40ft: 754pcs	41*38*58cm	30kg	Extra cost for all samples by airfreight. Approx cost: 500.- USD unit China-W/wide Gas: R134a Environmentally Friendly
Model	Product Name Tabletop-Desktop-Counter-top	Picture	Unit Price (FOB SHANGHAI) CIF	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PWG-CT 10L (DOUBLE) 10L/24HR	Atmospheric Water Generator Ⓛ Temp: 15-32°C Humidity: 40-90% Ⓛ R134a compressor cooling Ⓛ Stainless steel water tank Ⓛ Hot 95°C/Cold 5-8°C [double nozzle] Ⓛ Filtration: PP+CTO+UF+T33+UV Ⓛ LCD display Ⓛ Power supply:220V/50Hz-110V/60Hz Ⓛ Rated input:220V/350W-110V/400W		USD-POA Note: OEM Prices [original equipment manufacturer] are available by MOQ [minimum order quantity].	USD950 Note: Cost of ALL 'sample' unit(s) are 'Refundable' on placement of any container order.	50 pcs	20ft: 372pcs 40ft: 754pcs	41*38*58cm	30kg	Gas: R134a





PlanetsWater (Worldwide) Corp.

Specialised Atmospheric Imported Product's (SAIP) Thai-China Corp. © 2011

E-mail: sales@planetwater.com Tel: +44 789 333 5555 Skype: Planetwater

MANUFACTURING FACILITIES IN MAINLAND CHINA AND THAILAND

Model	Product Name Tabletop-Desktop-Counter-top	Picture	Unit Price (FOB SHANGHAI) CIF	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PWG 15 DT TT-90 15L/24HR	Atmospheric Water Generator ① Temp: 30°C Humidity: 80% ① R134a compressor cooling ① Stainless steel water tank ① Hot 90°C/Cold 5-8°C [single nozzle] ① Filtration: PP+CTO+UF+T33+UV ① LCD display ① Power supply:220V/50Hz-110V/60Hz ① Rated input:220V/350W-110V/400W ① Rated input:Heating 400W ① Rated input:Cooling 400W		USD-POA Note: OEM Prices [original equipment manufacturer] are available by MOQ [minimum order quantity].	USD990 Note: Cost of ALL 'sample' unit(s) are 'Refundable' on placement of any container order.	50 pcs	20ft: 252pcs 40ft: 522pcs	45*43*68cm	39kg	Gas: R134a
Model	Product Name	Picture	Unit Price (FOB SHANGHAI) CIF	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PWG-TY 20L (DOUBLE) 20L/24HR	Atmospheric Water Generator ① Temp: 15-32°C Humidity: 40-90% ① R134a compressor cooling ① Stainless steel water tank ① Hot 95°C/Cold 5-8°C [double nozzle] ① Filtration: PP+CTO+UF+T33+UV ① LCD display ① Power supply:220V/50Hz-110V/60Hz ① Rated input:220V/350W-110V/400W ① Rated input:Heating 500W ① Rated input:Cooling 80W		USD-POA Note: OEM Prices [original equipment manufacturer] are available by MOQ [minimum order quantity].	USD920 Note: Cost of ALL 'sample' unit(s) are 'Refundable' on placement of any container order.	50 pcs	20ft: 168pcs 40ft: 332pcs	41*38*117cm	45kg	Gas: R134a





PlanetsWater (Worldwide) Corp.

Specialised Atmospheric Imported Product's (SAIP) Thai-China Corp. © 2011

E-mail: sales@planetwater.com Tel: +44 789 333 5555 Skype: Planetwater

MANUFACTURING FACILITIES IN MAINLAND CHINA AND THAILAND

Model	Product Name	Picture	Unit Price (FOB SHANGHAI)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PWG 28L HO HR-77XK 28L/24HR	Atmospheric Water Generator Ⓜ Temp: 30°C Humidity: 80% Ⓜ R134a compressor cooling Ⓜ Stainless steel water tank Ⓜ Hot 90°C/Cold 5-8°C [single nozzle] Ⓜ Filtration: PP+CTO+UF+T33+UV Ⓜ LCD display Ⓜ Power supply:220V/50Hz-110V/60Hz Ⓜ Rated input:220V/350W-110V/400W Ⓜ Rated input:Heating 500W Ⓜ Rated input:Cooling 500W		USD-POA Note: OEM Prices [original equipment manufacturer] are available by MOQ [minimum order quantity].	USD1080 Note: Cost of ALL 'sample' unit(s) are 'Refundable' on placement of any container order.	50 pcs	20ft: 129pcs 40ft: 269pcs	40*53*113cm	50kg	Gas: R134a
Model	Product Name	Picture	Unit Price (FOB SHANGHAI)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PWG 30L HO HR-88HR 30L/24HR	Atmospheric Water Generator Ⓜ Temp: 30°C Humidity: 80% Ⓜ R134a compressor cooling Ⓜ Stainless steel water tank Ⓜ Hot 90°C/Cold 5-8°C [single nozzle] Ⓜ Filtration: PP+CTO+UF+T33+UV Ⓜ LCD display Ⓜ Power supply:220V/50Hz-110V/60Hz Ⓜ Rated input:220V/350W-110V/400W Ⓜ Rated input:Heating 500W Ⓜ Rated input:Cooling 500W		USD-POA Note: OEM Prices [original equipment manufacturer] are available by MOQ [minimum order quantity].	USD1040 Note: Cost of ALL 'sample' unit(s) are 'Refundable' on placement of any container order.	50 pcs	20ft: 129pcs 40ft: 269pcs	40*43*113cm	50kg	Gas: R134a





PlanetsWater (Worldwide) Corp.

Specialised Atmospheric Imported Product's (SAIP) Thai-China Corp. © 2011

E-mail: sales@planetwater.com Tel: +44 789 333 5555 Skype: Planetwater

MANUFACTURING FACILITIES IN MAINLAND CHINA AND THAILAND

Model	Product Name	Picture	Unit Price (FOB SHANGHAI)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PWG 30L HO HK-90 30L/24HR	Atmospheric Water Generator ① Temp: 30°C Humidity: 80% ① R134a compressor cooling ① Stainless steel water tank ① Hot 90°C/Cold 5-8°C [single nozzle] ① Filtration: PP+CTO+UF+T33+UV ① LCD display ① Power supply:220V/50Hz-110V/60Hz ① Rated input:220V/350W-110V/400W ① Rated input:Heating 500W ① Rated input:Cooling 500W		USD-POA Note: OEM Prices [original equipment manufacturer] are available by MOQ [minimum order quantity].	USD1090 Note: Cost of ALL 'sample' unit(s) are 'Refundable' on placement of any container order.	50 pcs	20ft: 128pcs 40ft: 269pcs	45*43*113cm	50kg	Gas: R134a
Model	Product Name	Picture	Unit Price (FOB SHANGHAI)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PWG 138L HO TY-DUAL 138L/24HR	Atmospheric Water Generator ① Temp: 25°C Humidity: 80% ① R134a compressor cooling ① Stainless steel water tank ① Hot 90°C/Cold 5-8°C [double nozzle] ① Filtration: PP+CTO+UF+T33+UV ① Stainless steel water tank ① Input Power:2KW ① Power supply:220V/50Hz ① Wind volume: 1300m2/hr. ① Obstruction of the wind:<180pa ① Volume:7kg		USD-POA Note: OEM Prices [original equipment manufacturer] are available by MOQ [minimum order quantity].	USD2,890 Note: Cost of ALL 'sample' unit(s) are 'Refundable' on placement of any container order.	50 pcs	20ft: 60pcs 40ft: 120pcs	42*48*105cm 32*42*105cm	50kg 25kg	Gas: R134a Extra cost for 2 x packages sample(s) sent by airfreight. Approx cost: 500.- USD unit China-W/wide





PlanetsWater (Worldwide) Corp.

Specialised Atmospheric Imported Product's (SAIP) Thai-China Corp. © 2011

E-mail: sales@planetwater.com Tel: +44 789 333 5555 Skype: Planetwater

MANUFACTURING FACILITIES IN MAINLAND CHINA AND THAILAND

Model	Product Name		Unit Price (FOB SHANGHAI)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PW-500 TYC 500L/24HR	Atmospheric Water Generator Ⓜ Temp: 25°C Humidity: 80% Ⓜ R407c compressor refrigeration Ⓜ Stainless steel water tank Ⓜ Input Power:10KW Ⓜ Power supply:380-220V/50Hz Ⓜ Wind volume: 5600m2/hr. Ⓜ Obstruction of the wind: <180pa Ⓜ Volume:8.5kg		USD-POA	USD8,990	/	20ft: 16pcs 40ft: 36pcs	45*125*175cm	265kg	Gas: R407c Environmentally Friendly
Model	Product Name		Unit Price (FOB SHANGHAI)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PW-1000 TYC 1000L/24HR	Atmospheric Water Generator Ⓜ Temp: 25°C Humidity: 80% Ⓜ R407c compressor refrigeration Ⓜ Stainless steel water tank Ⓜ Input Power:25KW Ⓜ Power supply:380-220V/50Hz Ⓜ Wind volume: 11200m2/hr. Ⓜ Obstruction of the wind: <180pa Ⓜ Volume:12kg		USD-POA	USD12,990	/	20ft: 12pcs 40ft: 24pcs	75*145*205cm	480kg	Gas: R407c





PlanetsWater (Worldwide) Corp.

Specialised Atmospheric Imported Product's (SAIP) Thai-China Corp. © 2011

E-mail: sales@planetwater.com Tel: +44 789 333 5555 Skype: Planetwater

MANUFACTURING FACILITIES IN MAINLAND CHINA AND THAILAND

Model	Product Name		Unit Price (FOB SHANGHAI)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PW-2000 TYC 2000L/24HR	Atmospheric Water Generator ① Temp: 25°C Humidity: 80% ① R407c compressor refrigeration ① Stainless steel water tank ① Input Power: 45KW ① Power supply: 380-220V/50Hz ① Wind volume: 22500m ² /hr. ① Obstruction of the wind: <180pa ① Volume: 20kg		USD-POA	USD-POA	/	20ft: 4pcs 40ft: 8pcs	145*140*210cm	700kg	Gas: R407c
Model	Product Name		Unit Price (FOB SHANGHAI)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PW-5000 TYC 5000L/24HR	Atmospheric Water Generator ① Temp: 25°C Humidity: 80% ① R407c compressor refrigeration ① Stainless steel water tank ① Input Power: 101KW ① Power supply: 380-220V/50Hz ① Wind volume: 77000m ² /hr. ① Obstruction of the wind: <180pa ① Volume: 46kg		USD-POA	USD-POA	/	20ft: 1pc 40ft: 2pc	450*230*190cm	2000kg	Gas: R407c






PlanetsWater (Worldwide) Corp.

Specialised Atmospheric Imported Product's (SAIP) Thai-China Corp. © 2011

E-mail: sales@planetwater.com Tel: +44 789 333 5555 Skype: Planetwater

MANUFACTURING FACILITIES IN MAINLAND CHINA AND THAILAND

Model	Product Name	Picture	Unit Price (FOB FUZHOU)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PW-HR100	Atmospheric Water Generator ① 100L generation @ 30°C & 80%		USD-POA	USD-POA	/	/	65*105*142	/	Gas: R407c
Model	Product Name	Picture	Unit Price (FOB FUZHOU)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PW-HR200	Atmospheric Water Generator ① 200L generation @ 30°C & 80%		USD-POA	USD-POA	/	20ft: 4pcs 40ft: 8pcs	165*65*128	320kg	Gas: R407c
Model	Product Name	Picture	Unit Price (FOB FUZHOU)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PW-HR500	Atmospheric Water Generator ① 500L generation @ 30°C & 80%		USD-POA	USD-POA	/	20ft: 4pcs 40ft: 8pcs	235*85*146	560kg	Gas: R407c






PlanetsWater (Worldwide) Corp.

Specialised Atmospheric Imported Product's (SAIP) Thai-China Corp. © 2011

E-mail: sales@planetwater.com Tel: +44 789 333 5555 Skype: Planetwater

MANUFACTURING FACILITIES IN MAINLAND CHINA AND THAILAND

Model	Product Name	Picture	Unit Price (FOB FUZHOU)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PW-HR1000	Atmospheric Water Generator ① 1000L generation @ 30°C & 80%		USD-POA	USD-POA	/	20ft: 2pcs 40ft: 4pcs	280*180*180	2000kg	Gas: R407c
Model	Product Name	Picture	Unit Price (FOB FUZHOU)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PW-HR3000	Atmospheric Water Generator ① 3000L generation @ 30°C & 80%		USD-POA	USD-POA	/	20ft: 1pcs 40ft: 2pcs	420*200*180	3800kg	Gas: R407c
Model	Product Name	Picture	Unit Price (FOB FUZHOU)	Sample (EXW)	MOQ	CTN Load Qty	Dimension (cm)	Net Wt.	Remarks
PW-HR5000	Atmospheric Water Generator ① 5000L generation @ 30°C & 80%		USD-POA	USD-POA	/	40ft: 1pcs	560*210*180	4500kg	Gas: R407c



PlanetsWater (Worldwide) Corp.

Specialised Atmospheric Imported Product's (SAIP) Thai-China Corp. © 2011

E-mail: sales@planetwater.com Tel: +44 789 333 5555 Skype: Planetwater

MANUFACTURING FACILITIES IN MAINLAND CHINA AND THAILAND



Note: PlanetsWater Corp. Reserve the right to change prices and specifications without written notice due to raw material costs, freight forwarding, taxation, labour costs.

The above prices may change in accordance with the material market and exchange rate fluctuations. Please contact us in advance before you place order.

Payment Terms: Strictly 40% deposit with order by telegraphic bank transfer to our designated account or verified 'PayPal' account followed by balance by the same or letter of credit LOC when freight on board FOB. The 'sample' payment will be reimbursed in full on receipt of a full container order of any 'AWG' model.

WARRANTY: ATMOSPHERIC WATER GENERATORS 'AWG' PRODUCTS ARE COVERED BY A ONE YEAR MANUFACTURERS WARRANTY WITH AN EXTENDED PERIOD OF COVER FOR AN ADDITIONAL FOUR YEARS ON THE 'COMPRESSOR' (IF APPLICABLE). 'AWG' UNITS ARE A TEMPERATURE AND HUMIDITY DRIVEN DEVICE AND AS SUCH BEST RESULTS ARE ACHIEVED IN REGIONS WITH A HIGH RELATIVE HUMIDITY. HUMIDITY LEVELS BETWEEN 35-85 DEGREES WILL GENERATE A HIGHER CAPACITY OF WATER. WE CONTINUALLY WORK TO ACHIEVE THE HIGHEST POSSIBLE STANDARDS AND RESEARCH IN OUR STRIVE TO PROVIDE PURE DRINKING WATER AS BOTH A 'LIFESTYLE' ALTERNATIVE DEVICE FOR THOSE OF US THAT ARE FORTUNATE TO HAVE A CHOICE AND TO THE MANY PEOPLE THROUGHOUT THE PLANET THAT ARE IN DIRE NEED OF FRESH DRINKING WATER AS A 'LIFE SAVING' DEVICE .